



PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Konrad BASLER et al

Conf. No.: 4459

Appln. No.: 10/664,859

Group Art Unit: 1653

Filed: September 22, 2003

Examiner: Carlson, K.

For: ESSENTIAL DOWNSTREAM COMPONENT OF THE WINGLESS  
SIGNALING PATHWAY AND THERAPEUTIC AND DIAGNOSTIC  
APPLICATIONS BASED THEREON

SUBMISSION OF REPLACEMENT DRAWINGS  
AND PETITION FOR ACCEPTANCE OF COLOR  
PHOTOGRAPHS UNDER 37 C.F.R. § 1.84

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Submitted herewith please find 36 sheets of replacement drawings in compliance with 37 C.F.R. § 1.84. The Examiner is respectfully requested to acknowledge receipt of these drawings.

The submitted drawings are intended to replace the drawings previously submitted on September 22, 2003.

Additionally, Applicants hereby petition for acceptance of the attached color photographs under the provisions of 37 C.F.R. § 1.84. In compliance with the provisions of 37 C.F.R. § 1.84, submitted herewith are three copies of each color photographs.

A check for the requisite fee under 37 C.F.R. § 1.17(h) of \$130.00 is also attached.

The U.S. Patent and Trademark Office is hereby directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account

SUBMISSION OF REPLACEMENT  
DRAWINGS AND PETITION FOR  
ACCEPTANCE OF COLOR PHOTOGRAPHS  
U.S. Appln. No. 10/664,859

No. 19-4880. Please also credit any overpayments to said  
Deposit Account. A duplicate copy of this transmittal letter  
is attached.

Respectfully submitted,

SUGHRUE MION, PLLC


Telephone: (202) 293-7060

Facsimile: (202) 293-7860

WASHINGTON OFFICE

**23373**

CUSTOMER NUMBER

  
Gordon Kit

Registration No. 30,764

Date: May 23, 2006